

ZESTAWY NASADEK 3/4"

WYMIARY METRYCZNE

**FACOM JEST PRZY TOBIE
PODCZAS KONSERWACJI
MASZYN CIĘŻKICH!**

		K.411	K.441A	K.442E	K.437E	K.436E	SK.453N	SK.452N
		K.152	K.151B	K.151B	K.151B	K.151B	K.151B + S.151	K.151B + S.151
		6	6	12	6	12	6	6
		K.HB	K.HB	K.B	K.HB	K.B	K.HB	S.H
		6	6	12	6	12	6	6
		K.HB	K.HB	K.B	K.HB	K.B	K.HB	S.H
		6	6	12	6	12	6	6
		K.HB	K.HB	K.B	K.HB	K.B	K.HB	S.H
mm	8							
	9							
	10							
	11							
	12							
	13							
	14							
	15							
	16							
	17							
	18							
	19	•	•	•	•	•		
	21	•	•	•	•	•	3/4"	K.3/4"
	22	•	•	•	•	•	•	•
	23	•	•	•	•	•	•	•
	24	•	•	•	•	•	•	•
	26	•	•	•	•	•	•	•
	27	•	•	•	•	•	•	•
	28	•	•	•	•	•	•	•
29	•	•	•	•	•	•	•	
30	•	•	•	•	•	•	•	
32	•	•	•	•	•	•	•	
34	•	•	•	•	•	•	•	
36	•	•	•	•	•	•	•	
38	•	•	•	•	•	•	•	
41	•	•	•	•	•	•	•	
42	•	•	•	•	•	•	•	
46	•	•	•	•	•	•	•	
50	•	•	•	•	•	•	•	
54	•	•	•	•	•	•	•	
55	•	•	•	•	•	•	•	
K.210B K.215B K.120B K.240A K.140A K.125A	S.210						•	•
	S.215						•	•
	S.120A						•	•
	S.240A						•	•
	S.110						•	•
	PL.438	C.K422CA + 2 x C.K422EA			PL.87A		P.21	
	BT.103G	BT.6A		BT.103G		BT.6A		
643 x 230 x 111 mm	468 x 190 x 160 mm		643 x 230 x 111 mm		468 x 190 x 160 mm			
15,20 kg	17,00 kg		15,50 kg		17,20 kg			

K.411




**K.437E
K.436E**



**K.441A
K.442E**






















**SK.453N
SK.452N**



ZESTAWY NASADEK 3/4"

WYMIARY CALOWE

   3/4" 19,05mm		K.442U		SK.452U	
		K.151B		K.151B + S.151	
		 K.B	 K.B	 S.	
mm	3/8				•
	7/16				•
	1/2				•
	9/16				•
	19/32				•
	5/8				•
	21/32				•
	11/16				•
	3/4				•
	25/32				•
	13/16				•
	3/4	•			
	7/8	•			•
	15/16	•			•
	31/32	•			•
	1	•		3/4"	•
	1"1/16	•		•	•
	1"1/8	•		•	•
	1"1/4	•		•	•
	1"5/16	•			1/2"
1"3/8	•		•		
1"7/16	•		•		
1"1/2	•		•		
1"5/8	•		•		
1"11/16	•				
1"3/4	•				
1"13/16	•		•		
1"7/8	•				
2"	•		•		
2"1/8	•				
2"3/16	•				
2"1/4	•				
	K.210B	•	•		
	K.215B	•	•		
	K.120B	•	•		
	K.240A	•			
	K.140A	•			
	K.125A	•			
	S.210			•	
	S.215			•	
	S.120A			•	
	S.240A			•	
	S.110			•	
	-	BT.6A	PL.22	BT.6A	
	468 x 190 x 160 mm		468 x 190 x 160 mm		
	22,1 kg		16,2 kg		



K.442U



SK.452U

