

JETLINE Feet and cross beams



Foot made of Epoxy painted sheet steel (thickness 12/10ths).

Equipped with feet with jack for adjustment giving complete stability, irrespective of the type of floor. Color: black 9004

Dimensions hors tout

Réf.	L	Р	H (avec vérin)	Weight
JLS2-PSB	100mm	750 mm	810 mm	15.5k g
JLS2-PSH	100mm	750 mm	985 mm	19kg

Accessoires:

The feet are ready drilled and JETXL accessories may be added (see range of accessories in the F13 catalogue).

Finition stage

New jacks with ball joint for an optimal adjustment







+ cross beam 2 feet

+ cross beam 1 feet - 1 base unit

+ cross beam 2 base units

MANDATORY

REF. JLS2-TRAA2 REF. JLS2-TRAA3

MANDATORY

REF. JLS2-TRAB2 REF. JLS2-TRAB3

OPTIONAL

REF. JLS2-TRBB3

Multifunctions cross beam : connecting, reinforcement and storage space

- 2 possible positions:
- •In horizontal position, the cross becomes a real shelf that can receive objects heavy and bulky in
- In vertical position, for 1025 height sets, the cross ensures connection between the units and let some space for your roller
- •Made of Epoxy painted sheet steel (thickness 12/10ths). colour red 3020

	2 feet		1 feet - 1 base unit		2 base units	
Worktop 1455 mm			JLS2-TRAB2			
	L1053xH40 0xP40mm	6.2 kg	L530xH400xP4 0mm	3.3 kg		
worktop 2182 mm	JLS2-TRAA3		JLS2-TRAB3		JLS2-TRBB3	
	L1600xH40 0xP40mm	10.3 kg	L1166xH400xP 40mm	7.4 kg	L733xH400x P40mm	4.4 kg